

Accessories for Canon EOS 5D camera with video function

selected for standard lens Canon EF 24-105mm



Chrosziel
...for optical excellence

Follow focus system, MatteBox, Fluid Zoom Drive



Picture shows Canon EOS 5D MK II with:

- StudioRig Basic-Kit
- MB 450R2 MatteBox
- Fluid Zoom Drive

401-421S Light weight
support incl. twist stopper



Basic kit- Follow focus system:

206-EOS5Dkit Studio Rig Basis-Kit for Canon 5D with Canon EF 24-105mm, consisting of:

- 206-01S DV Studio Rig follow focus system, cpl. with handwheel & scale
- 206-12 Focus gear drive, mod 0.8, Ø 36.8, 44 teeth
- 201-19 Gear ring fix, for Canon EF-24-105mm 1:4 IS UMS Ø 82mm, mod 0.8
- 401-421S LWS Light weight support, incl. twist stopper for DSLR

Unit prices:

- 206-01S** DV Studio Rig follow focus system, cpl. with handwheel & scale
- 206-12** Focus gear drive, mod 0.8, Ø 36.8, 44 teeth
- 201-19** Gear ring fix, for Canon EF-24-105mm 1:4 IS UMS Ø 82mm, mod 0.8
- 401-421S** LWS Light weight support, incl. twist stopper for DSLR with video function

MatteBox with suitable ring for standard lens and others:

- 450-R20** MatteBox 450R2 with double filterstage, 16:9 mask, French Flag (450-11), 2 rotating filterholder 4x4 (402-12), multiformat-filterholder 4x4/4x5.650 (410-04), pivot mechanism (for use of side wings), rod clamping for LWS Ø 15mm, end plate with thread Ø110mm
- 450-20** Flexi-Inserttring with Ø 110mm thread for use on lenses with external diameter from Ø 75mm to Ø 98mm (fits many Canon and Nikkor lenses)
- 450-10** Set of side wings (left and right) for MB 450R2

Fluid Zoom Drive for standard lens Canon EF 24-105mm:

- 102-13** Fluid Zoom Drive mod. 0.8, incl. 2 zoom sticks (short and long)
- 206-785** Gear ring for zoom on Canon EF 24-105mm 1:4.0 IS UMS, Ø 78.5mm, mod 0.8
- EU15** Extension Unit Ø 15:15mm, with Ø 15mm rod

For use Studio Rig and Fluid Zoom Drive with other lenses, please add flexible gear ring:

- 206-30** Gear ring flexible, mod 0.8 adjustable - for photo lenses Ø 60 - 120mm, rotation angle approx. 270-320° (for Nikkor, Canon and other lenses)



Further accessories for other lenses and cameras you find on our info page „Chrosziel DSLR accessories“.

For other requests or orders, please contact our agent for your territory.

Accessories for Canon EOS 7D camera with video function

selected for standard lens Canon EF 18-135mm



Chrosziel
...for optical excellence

Follow focus system, SunShade, Fluid Zoom Drive



Canon EOS 7D camera with:

- StudioRig Basis-Kit
- SunShade 3x3
- Fluid Zoom Drive
- Handgrip

401-421S Light weight support incl. twist stopper



Basic kit- Follow focus system:

206-EOS7Dkit Studio Rig Basis-Kit for Canon 7D with Canon EF 18-135mm, consisting of:

- 206-01S DV Studio Rig follow focus system, cpl. with handwheel & scale
- 206-12 Focus gear drive, mod 0.8, Ø 36.8, 44 teeth
- 206-753 Focus gear ring fix, for Canon EF 18-135mm, Ø 75.3mm, mod 0.8
- 401-421S LWS Light weight support, incl. twist stopper for DSLR

Unit prices of basis kit:

- 206-01S** DV Studio Rig follow focus system, cpl. with handwheel & scale
- 206-12** Focus gear drive, mod 0.8, Ø 36.8, 44 teeth
- 206-753** Focus gear ring fix, for Canon EF 18-135mm, Ø 75.3mm, mod 0.8
- 401-421S** LWS Light weight support, incl. twist stopper for DSLR with video function

SunShade for standard lens Canon EF 18-135mm:

- S1001** SunShade 3x3 incl. 2 filterholder 3x3, 1x rotating 160° and 1x fixed clamp adaptor Ø 85mm
- S1001-67** Adaptor Ø 85:M 67mm for standard lens Canon EF 18-135mm

Fluid Zoom Drive for standard lens Canon EF 18-135mm:

- 102-13** Fluid Zoom Drive mod. 0.8, incl. 2 zoom sticks (short and long)
- 206-740** Zoom gear ring fix, for Canon EF 18-135mm, Ø 74.0mm, mod 0.8
- EU15** Extention Unit Ø 15:15mm, with Ø 15mm rod

For use Studio Rig and Fluid Zoom Drive with other lenses, please add flexible gear ring:

- 206-30** Gear ring flexible, mod 0.8 adjustable - for photo lenses Ø 60 - 120mm, rotation angle approx. 270-320° (e.g. Nikkor or other Canon lenses)



Further accessories for other lenses and cameras you find on our info page „Chrosziel DSLR accessories“.

For other requests or orders, please contact our agent for your territory.

Accessories for DSLR cameras with videofunction

e.g. Nikon D90 or others with similar body size camera boy



Chrosziel
...for optical excellence

Follow focus system, MatteBox, Fluid Zoom Drive



*206-40S Studio Rig:
Helps you to pull your focus
precisely and to mark a certain
focus range on the scale of the
handwheel.*



401-421S Lightweight support



206-30 Gear ring

Basic kit- Follow focus system:

206-DSLRSkit Studio Rig basic kit for DSLR cameras, consisting of:
206-40S Studio Rig Photo, complete with reverse gear and gear ring mod. 0.8
206-30 Gear ring flexible - adjustable for lenses Ø 60 - 120mm, mod 0.8
401-421S LWS Lightweight support, incl. twist stopper for DSLR with videofunction

Single prices:

206-40S Studio Rig Photo, complete with reverse gear and gear ring mod. 0.8
206-30 Gear ring flexible mod 0.8 - adjustable for lenses Ø 60 - 120mm,
rotation angle approx. 270-320° (e.g. for Nikkor or other photo lenses)
401-421S LWS Lightweight support, incl. twist stopper for DSLR with videofunction
206-45S Studio Rig Photo, with VariLock hand wheel

*For lenses without end stop.
It allows also fixing of a
certain focus range.*



MatteBox and accessories for various lenses:

450-R20 MatteBox 450R2 with double filterstage, 16:9 mask, French Flag (450-11),
2 rotating filterholder 4x4 (402-12), multiformat-filterholder 4x4/4x5.650
(410-04), pivot mechanism (for use of side wings),
rod clamping for LWS Ø 15mm, end plate with thread Ø110mm
450-10 Side wings left and right for MB 450R2
450-20 Flexi-Inserttring with Ø 110mm thread for use on lenses with external
diameter from Ø 75mm to Ø 98mm (fits many Canon and Nikkor lenses)
450-22 Flexi-Inserttring with Ø 110mm thread for use on lenses with external
diameter from Ø 50mm to Ø 85mm
410-39P Inserttring Ø 110:85 mm (with 22mm tube) for lenses with external focus

410-39P Inserttring



Further addition for your camera - Fluid Zoom Drive:

102-13 Fluid Zoom Drive mod. 0.8, incl. 2 zoom sticks (short and long)
206-30 Gear ring flexible mod 0.8 - adjustable for lenses Ø 60 - 120mm,
rotation angle approx. 270-320° (e.g. for Nikkor or other Canon lenses)
EU15 Extension Unit Ø 15:15mm, with Ø 15mm rod



*102-13
Fluid zoom drive
incl. Zoomsticks*

**For Canon EOS 7D, 5D and 1D cameras we offer special accessories,
this equipment you will find on the corresponding info pages.**

**For various lens we manufacture a fixed gear ring (instead of 206-30).
If you have questions please contact your local agent.**

Accessories for DSLR cameras with video function

Canon EOS 7D, EOS 5D, EOS 1D MK IV / Nikon D90



Monitor Pack, Lens support, Carrying systems

Monitor Pack, Lens support, Handgrip - for mounting on light weight support:

550-01

MonitorPack DSLR consisting of:

- 7" Monitor with HDMI input, incl. with Battery Adapter
- 4000mAh Li-Ion battery (type: Sony NP-Q type rechargeable 7.2V)
- charger with power supply and plug for car outlet
- HDMI Cable Adapter 0.5m
- Support with 1/4" threads

401-33

Lens Support Universal Photo, for lenses with Ø 50 to 120mm

3300

Hand grip for use with LWS light weight supports

401-421S

LWS Light weight support, incl. twist stopper for DSLR (not for EOS 1D)

550-MA

Articulated arm with central clamp und two 1/4" threads

(already incl. at delivery range of 550-01)



550-01 Monitor Pack



*401-33
Lens Support Photo,
for mounting on 15mm
LWS rods*



Use your DSLR camera as portable video camera with the Chrosziel hand grip (3300). For mounting on Chrosziel light weight supports (LWS 401-4xx). Tool-free installation, also useable with the tripod plate mounted.

For handheld shooting from your shoulder, please use DV-Balancer:

3005

DV-Balancer® shoulder support, classic version with flat belly rest, for cameras up to 4kg



Use the DV-balancer® for handheld shots from the shoulder. It fits directly on the light weight support.



The shoulder support very easily positions to allow perfect adjustment of the DV-Balancer®.